




BRIGHT IS ONLY THE BEGINNING

# INSTALL GUIDE

DITCH LIGHT BRACKETS: 09-14 F-150 / 10-14 RAPTOR

BAF037



WARNING: By reading this document, you agree it is only to be used as an educational guide. Morimoto Lighting nor its dealers make guarantees on any finished results, nor are they to be held responsible for any damage, misuse, or personal injuries. If you are unable to clearly understand and adapt the information below, professional installation is recommended.

WARNING: It is the installer's responsibility to confirm compliance with state and local laws.



# DITCH LIGHT BRACKETS: 09-14 F-150 / 10-14 RAPTOR


## TABLE OF CONTENTS

PAGE

- BRACKET INSTALLATION

3

## WHAT'S INCLUDED



2X DITCH LIGHT BRACKETS



4X WIRE CLIPS



## REQUIRED TOOLS

- 10MM RATCHETING WRENCH




INSTALL GUIDE

## BRACKET INSTALLATION

1

Open your truck's hood.

Using a ratcheting 10mm wrench, loosen (but do not remove) the two bolts holding each hood hinge to the inner fender.



2

Carefully route the bracket into place and under the washers of the screws loosened in Step

Tighten the 10mm screws.



3

Fit the wire routing clips into the bracket.

Repeat this process on opposite side of vehicle.



-END-

