

INSTALL GUIDE

THE AUTOMOTIVE LIGHTING BENCHMARK

XB LED SIGNAL BULBS



PACKAGE CONTENTS



2X SIGNAL/MARKER BULBS


WARNING: IT IS THE INSTALLERS RESPONSIBILITY TO CONFIRM COMPLIANCE WITH STATE AND LOCAL LAWS. BY READING THIS DOCUMENT, YOU AGREEITI SONLY TO BE USED AS AN EDUCATIONAL GUIDE. MORIMOTO LIGHTING NOR ITS DEALERS MAKE GUARANTEES ON ANY FINISHED RESULTS, NOR ARE THEY TO BE HELD RESPONSIBLE FOR ANY DAMAGE, MISUSE, OR PERSONAL INJURIES. IF YOU ARE UNABLE TO CLEARLY UNDERSTAND AND ADAPT THE INFORMATION BELOW, PROFESSIONAL INSTALLATION IS RECOMMENDED. IMPORTANT: THE PURPOSE OF THIS GUIDE IS TO PROVIDE UNIVERSAL BASIC INSTRUCTIONS FOR THE PROCESS OF REPLACING YOUR BULBS. THE EXACT PROCESS WILL VARY FROM APPLICATION TO APPLICATION. PLEASE REFER TO YOUR VEHICLE'S OWNER'S MANUAL FOR SPECIFIC INSTRUCTIONS

IMPORTANT: THESE BULBS ARE DESIGNED TO WORK WITHOUT THE NEED FOR RESISTORS IN MOST APPLICATIONS, HOWEVER, ADDITIONAL RESISTANCE MAY BE NEEDED IN SOME APPLICATIONS TO PREVENT HYPERFLASH



XB LED SIGNAL BULBS

1. REMOVE THE TURN SIGNAL SOCKET AND BULB FROM THE HOUSING




2. REMOVE THE OLD BULB FROM THE TURN SIGNAL SOCKET



XB LED SIGNAL BULBS

3. INSERT THE NEW XB SIGNAL/MARKER BULB INTO THE SOCKET



- 4. REINSERT THE SOCKET INTO THE HOUSING
- 5. TURN THE VEHICLE ON AND CONFIRM THAT ALL FUNCTIONS ARE WORKING CORRECTLY



- ENJOY YOUR NEW XB LED BULBS! -